

From Pixels to Plates: Advancing Public Health through Image-Based Dietary Assessment

Bhagyashree Maharana¹, Ayush Gupta² Dr Yojna Arora³

¹Department of Computer Science and Engineering, Sharda School of Engineering and Technology, Sharda University Greater Noida, U.P., India; Bhagyashreemaharana18@gmail.com

²Department of Computer Science and Engineering, Sharda Uni Sharda School of Engineering and Technology, Greater Noida, U.P., India; Yojana183@gmail.com

***Corresponding Author:** Yojna Arora (Yojana183@gmail.com)

Abstract

Image-based dietary assessment is transforming the measurement and analysis of eating habits with innovative data-driven approaches for improving public health and personalized nutrition. Driven by advancements in machine learning and visual representation technologies, IBDA systems accurately recognize foods and estimate portion sizes, allowing for real-time dietary monitoring of individuals and populations. Such tools hold great potential in closing dietary gaps, delivering targeted nutrition guidance, and informing large-scale public health programs fighting chronic diseases and malnutrition. While promising, there are several challenges facing the wide adoption of IBDA, including concerns on data privacy, cultural diversity in food datasets, and user compliance. Novel innovations in multimodal data integration, self-supervised learning, and low-cost mobile solutions can make IBDA more accessible, scalable, and inclusive. This review highlights the transformative potential of IBDA in advancing global nutrition strategies, emphasizing the need for ethical considerations and culturally sensitive approaches. By bridging gaps in dietary monitoring and enabling personalized interventions, IBDA stands at the forefront of modern nutrition and public health innovation.

Keywords

Image-based dietary assessment, Food recognition, Portion size estimation, Machine learning in nutrition, Personalized dietary interventions, Public health nutrition, Dietary monitoring tools

1. Introduction

Dietary assessment is a vital component of public health and nutrition, providing information on eating behaviours and nutrient intake and their related health outcomes. Traditional methods, such as food diaries and 24-hour recalls, are generally time-consuming, prone to reporting errors, and burdensome for the users. Recent advances in computer vision and machine learning have made image-based dietary assessment a promising alternative that depends on visual representation for the analysis and quantification of food intake in an efficient and accurate way [12], [15].

1.1 Background and Motivation

The global burden of diet-related illnesses brings out the need for innovative dietary assessment methods that are both accurate and user-friendly. Traditional approaches often have inherent limitations, including recall bias, underreporting, and user non-compliance, especially among diverse and vulnerable populations [12], [14]. Image-based dietary assessment tackles these challenges by allowing users to capture real-time food images, which can later be analyzed using advanced algorithms for food recognition and portion estimation [5], [11].

Integration with technologies of deep learning and sensor-based systems has increased the accuracy and scalability of these approaches even further [2], [17]. For instance, DeepTrayMeal and other visual representation frameworks have shown the possibility of automating dietary analysis with minimal user

intervention, thus opening the possibilities for widespread adoption in public health [5], [13]. In the light of these innovations, great promise lies with personalized nutrition and improvement in diet behavior, especially within resource-constrained settings where traditional assessment methods are very resource-intensive [1], [6].

1.2 Objectives and Scope of the Review

The aim of this review is to highlight some implications of image-based dietary assessment for public health and nutrition, focusing on the following aspects:

- Highlighting the technological advancements and methodologies used in image-based dietary assessment, including deep learning, 3D imaging, and sensor integration [3], [8], [18].
- Exploring the applications of these tools in dietary monitoring, personalized nutrition interventions and in response to public health challenges like obesity and malnutrition [4] [9].
- Validating image-based methods for accuracy, feasibility, and acceptability by users through validation studies and pilot implementations [6], [11], [15].
- Discussing the limitations, ethical considerations, and future opportunities for research within this area [7], [14], [16].




Figure1. System Overview: Image-based dietary assessment workflow for food recognition, segmentation, and weight prediction to improve public health [21].

2. Literature Review

2.1 Image-Based Dietary Assessment: Overview

Image-based dietary assessment has emerged as a transformative tool in the field of public health nutrition.

By utilizing digital food images combined with computational techniques, this method provides accurate, efficient, and user-friendly alternatives to traditional dietary assessment methods. This section introduces key concepts and traces the evolution of image-based dietary assessment.

2.2 Definitions and Key Concepts

Image-based dietary assessment is a technique that uses photographs or videos of meals, analyzed by advanced algorithms, to identify food items, estimate portion sizes, and compute nutrient values. The core principles of this approach include:

- Food Recognition: The identification of food items photographed by a user with the help of machine learning algorithms and food image databases [4], [13].
- Portion Size Estimation: Volume reconstruction, 3D imaging, or shape-based analysis to estimate food quantities [8], [11].
- Nutrient Analysis: Calculating energy and nutrient value based on food identification and portion size estimation [1], [14].

Advanced systems incorporate other data sources, including sensors and metadata about the users, to increase the accuracy of the dietary assessment [2], [17]. A few critical technologies, such as deep learning and computer vision algorithms, have significantly improved the scalability and accuracy of these approaches [5], [13].

2.3 Evolution of Image-Based Dietary Assessment

Development of image-based dietary assessment tools can be traced through distinct phases, reflecting technological advancements and expanding applications.

- i. Initial Explorations: In the first studies, simple image analysis techniques were used to identify foods and estimate portion sizes. Those methods were limited due to the limited computational power and the small size of datasets, yielding modest accuracy [12], [15].
- ii. Steps in Machine Learning: The deep learning models, especially the convolutional neural network (CNN) architecture, made all the difference. These models performed much better than their traditional counterparts in food classification and portion estimation tasks, such as in systems like DeepFood and DeepTrayMeal [5], [13].
- iii. Integration with Sensors: More recent approaches have integrated image data with sensor technologies, including wearable devices and environmental sensors, to increase the reliability of the data acquired in free-living conditions. For instance, integrated systems detect food intake events and improve dietary tracking accuracy [2], [17].
- iv. Emphasis on User-Centric Design: Usability and cultural appropriateness are increasingly the focus of recent research. For example, photo-assisted interventions have been designed for specific populations, including elderly individuals and college students, proving the potential of such tools in a variety of settings [3], [6].
- v. Emergence of Global Datasets: The creation of large-scale food image datasets, such as nutrition-specific databases, has further supported the evolution of image-based dietary tools, allowing for more accurate food recognition across diverse cuisines and dietary patterns [10], [14].

3. Image-Based Dietary Assessment: Technologies and Methods

Technological advancement has driven the rapid evolution of image-based dietary assessment, enabling more accurate and scalable tools for food recognition, volume estimation, and nutrient analysis. This section will go in-depth into the main technologies and methods underpinning these systems.

3.1 Visual Representations for Food Recognition and Volume Estimation

Visual images are the basis for image-based dietary assessment, allowing for the identification and quantification of foods. Among the key methods are:

- Food Recognition: Advanced visual algorithms analyze food images to classify food types. Approaches range from traditional image processing techniques to neural network-based models trained on large-scale food image datasets [4], [10].
- Volume Estimation: 3D modeling, shape-based analysis, and depth estimation are some of the techniques used in estimating food portion sizes. For instance, 3D image projection and manual wire mesh transformations have been considered for accurate volume estimations [11], [18].
- Contextual Analysis: Integrating contextual information, like dining environments and plate sizes, improves the accuracy of food recognition and portion estimation [14], [17].

These visual techniques, therefore, are important in bridging the gap between digital imagery and dietary metrics, providing a user-friendly alternative to traditional methods.

3.2 Role of Machine Learning and Deep Learning Models

Machine learning (ML) and deep learning (DL) models have revolutionized image-based dietary assessment by considerably improving the accuracy and efficiency of food analysis.

- Convolutional Neural Networks (CNNs): CNNs are extensively applied in food classification and feature extraction and have obtained state-of-the-art performance in recognizing various food items [5], [13].
- Self-Supervised Learning: Some emerging self-supervised learning approaches have shown promise in improving the representation of food images, usefully when labeled data is limited [7].
- Hybrid Models: Combining ML models with rule-based systems can improve food recognition accuracy by using domain-specific knowledge [1], [15].

Notable examples are the DeepFood system, which uses deep learning to analyze food images and estimate portion sizes, and DeepTrayMeal, designed for automated assessment of tray-based meals [5], [13]. These models show the scalability of DL in dietary assessment applications across different contexts.

3.3 Integration of Sensors with Image Analysis

The combination of sensor technologies with image analysis creates new dimensions for dietary assessment, increasing its accuracy in real-world settings.

- Wearable Sensors: Chest-mounted cameras and motion sensors provide real-time eating behaviors that are used to enhance the accuracy of image-based data [2], [19].
- Environmental Sensors: Integrated systems utilize environmental information (e.g., ambient light, temperature) to enhance the recognition of food objects and events [17], [18].
- Multimodal Approaches: The combination of image data with sensor inputs, such as audio or chewing sensors, allows for the comprehensive analysis of food intake in free-living conditions [2], [14].

For example, sensor-enhanced systems, as described by Ghosh et al. (2024), offer accurate detection of food intake events, enabling enhanced dietary monitoring in naturalistic settings [2]. These integrations point out the potential for truly seamless and unobtrusive dietary assessment solutions.

4 Applications in Public Health and Nutrition

Image-based dietary assessment tools have tremendous potential to impact public health and nutrition by providing efficient and scalable methods for monitoring diets, promoting personalized interventions, and addressing dietary gaps in various populations. This session will discuss the different applications of these tools in improving public health outcomes.

4.1 Dietary Surveillance for Population Health

Dietary monitoring is important in understanding population health trends, identifying risk factors, and

informing public health policy. The benefits of image-based dietary assessment in this regard include:

- **Real-Time Data Collection:** Image-based approaches allow for the monitoring of food intake in real time, hence providing information regarding dietary behaviors and trends over a period of time. Such systems, therefore, show lesser bias compared to the traditional recall methods [12], [14].
- **Large-Scale Dietary Surveys:** These tools can be deployed in large-scale population studies—like national health surveys or cohort studies—by automating food identification and portion size estimation. Such applications can help monitor the effectiveness of dietary interventions on a broad scale [9], [11].
- **Monitoring Dietary Transitions:** As diets globally are shifting to becoming more processed, image-based dietary tools can track these transitions and measure their impact on public health in terms of an increase in diet-related chronic diseases, such as obesity and diabetes [14], [16].

These capabilities make image-based dietary assessment a powerful tool for monitoring and evaluating dietary patterns in diverse populations.

4.2 Tailored Nutrition Interventions

Personalized nutrition interventions are the tailoring of dietary recommendations to the specific needs, preferences, and health conditions of an individual. In this regard, image-based dietary assessment is an important area that provides accurate, real-time information on food intake.

- **Dietary Feedback and Guidance:** Real-time feedback on food intake enables personalized dietary recommendations that can be adjusted based on the individual's preferences, health goals, and nutritional needs. Systems like DeepFood and those integrating AI algorithms can provide individualized suggestions based on food recognition and nutrient analysis [5], [13].
- **Behavioral Nudges:** Image-based tools can facilitate much more healthy eating behaviors through logging of progress and by means of behavioral nudges, for example, portion control or alternatives to food choice [16], [9].
- **Chronic Disease Management:** For patients with chronic diseases such as diabetes or cardiovascular diseases, personalized nutrition interventions based on food image analysis can help manage their condition by adhering to dietary guidelines [12], [14].

These applications highlight how image-based dietary tools can empower individuals to make more informed decisions about their diet, fostering better health outcomes through personalized nutrition.

4.3 Improving Dietary Gaps in At-Risk Communities

It is quite common for vulnerable populations—among them, the elderly, children, and people in low-resource settings—to have considerable barriers to sufficient dietary assessment and nutrition management. Image-based dietary assessment can play a central role in overcoming these gaps:

- **Elderly Populations:** For older adults who might find the traditional dietary recall methods problematic, image-based systems provide easier access and create less cognitive strain for monitoring food intake. A number of studies have shown the applicability of photo-assisted dietary assessment in this population [3], [6].
- **Children and Adolescents:** Among younger populations, where self-reporting is generally unreliable, image-based methods are more engaging and accurate alternatives to track eating behaviors in support of early interventions for childhood obesity or malnutrition [6], [15].
- **Low-Resource and Remote Setting:** In many settings with limited access to health professionals or dietetic counselors, mobile-based image dietary assessment tools can provide remote, accessible solutions for monitoring food intake and promoting nutrition education [5], [9].

These tools can empower vulnerable populations to adopt healthy eating habits, overcoming traditional barriers to dietary assessment, and hence improve their nutritional status.

5 Validation and Feasibility Studies

For image-based dietary assessment methods to be adopted widely in public health and nutrition, it is important that their accuracy, reliability, and feasibility be evaluated. This section reviews validation studies that have been conducted to assess the effectiveness of these tools and discusses challenges related to user adoption and perspectives.

5.1 Accuracy and Reliability of Image-Based Methods

Validation studies have a critical role in the assessment of the accuracy and reliability of image-based dietary assessment methods, ensuring that they can deliver trustworthy results when used in real-world settings.

- Food Recognition Accuracy: A primary focus of validation studies is the assessment of food recognition algorithm precision. These studies have shown that deep learning models, particularly CNNs, achieve a high level of accuracy in the classification of foods, though with less success in the identification of uncommon or composite dishes [5], [13].
- Portion Size Estimation: The validation of portion size estimation methods is critical to provide image-based tools with reliable volume or weight estimates. Literature showed that 3D image reconstruction and depth analysis techniques provide promising results in volume estimation, while some studies show variability in accuracy depending on factors like lighting, camera angle, and image quality [11], [14].
- Cross-Population Validity: In order to make image-based approaches applicable to diverse populations, studies have investigated their performance on different demographic groups, including children, elderly people, and people from different cultural backgrounds. These studies have shown that, in most cases, the methods are robustly performing; however, there are limitations in handling culturally specific foods or atypical meal presentations [6], [15].

Taken together, validation studies prove that image-based dietary assessment methods can achieve reasonable accuracy and reliability, especially by the combined use of leading-edge machine learning models and large-scale food image databases. However, continued research is needed to improve their performance under real-life conditions with many variables.

5.2 User Views and Adoption Issues

While the technical accuracy of image-based dietary assessment methods is critical, it is also important to understand users' perspectives in order to overcome adoption challenges for widespread use.

- User Acceptance: Users generally reported that image-based dietary assessment tools are easier to use and less burdensome than traditional methods, such as food diaries or 24-hour recalls [9], [12]. However, some users report difficulties in capturing images of foods clearly, especially when eating in different lighting situations or when meals are complex.
- Cultural and Dietary Diversity: A critical adoption challenge is the ability of image-based tools to accurately recognize foods from diverse cuisines and dietary patterns. A number of studies have shown that users in different regions or cultures might find these tools less useful for local food items, therefore requiring adaptation of the food database and recognition models toward global diversity [10] and [13].
- Privacy and Data Security: Users are concerned about privacy and data security issues when using mobile applications that require taking food photos. The main concerns that have to be faced regarding data storage, sharing, or misuse of personal information will definitely improve trust and adoption [16], [18].
- Technological Barriers: There is also an issue of accessibility with the image-based tools, especially for vulnerable populations. One might not have the technology needed to use them, for example, smartphones with cameras or even internet access; this could diminish the possibility of using these methods in many settings, especially in low-resource settings [5], [9].

Despite these challenges, the literature suggests that appropriate education, adaptation to cultural contexts, and improved user interfaces can increase the adoption of image-based dietary assessment tools, leading to greater acceptance and engagement from diverse populations.

6 Current Challenges and Limitations

While image-based dietary assessment tools show great potential to improve dietary monitoring and public health, a number of challenges and limitations stand in the way of their widespread adoption and effectiveness. This section considers a few of the most important of these challenges, including ethical concerns, data quality issues, and the complexities of cultural and dietary diversity.

6.1 Ethical and Privacy Concerns

The use of image-based dietary assessment raises major ethical and privacy concerns that must be dealt with appropriately to assure the safety and trust of the users.

- **Data Privacy:** The food images can reveal sensitive personal information, such as the user's eating habits, location, and even their lifestyle choices; hence, privacy is a key concern. Users will be concerned with the collection, storage, and sharing of their dietary data stored in cloud servers or shared with third-party service providers [9], [16]. Ensuring the compliance of the systems with the data protection regulations like GDPR (General Data Protection Regulation) and HIPAA (Health Insurance Portability and Accountability Act) would be necessary for mitigating privacy risks.
- **Informed Consent:** Proper informing of the user regarding data collection processes and how their images and data will be used should be done. The need for clear informed consent procedures is critical in building trust and promoting the uptake of image-based dietary assessment tools [16, 18].
- **Bias in Data Usage:** Ethical concerns also arise when considering the possible misuse of dietary data. For example, analyzing food images may lead to targeted marketing or dietary interventions that could be against the best interest of an individual, thus violating their privacy or bringing about discriminatory practices [12], [15].

Broader implementation of these image-based dietary assessment tools will need to address these issues with strong data protection policies and ethical guidelines in place.

6.2 Data Quality and Annotation Bottlenecks:

Image-based dietary assessment tools demand high-quality, well-annotated food images for their accuracy and reliability. However, the following are related to data quality and annotation issues:

- **Food Image Quality:** The quality of food images can vary, with differences in lighting, shooting angle, and background, greatly affecting the accuracy of food recognition algorithms. Therefore, low-quality images or badly taken parts of foods will determine incorrect portion sizes or misclassification of foods [11], [13].
- **Image Annotation:** Annotating food images for machine learning models is a time-consuming and labor-intensive process. Large-scale datasets require accurate labeling of thousands of images, which is prone to errors and inconsistencies. Furthermore, the lack of standardized annotation practices across different datasets can lead to confusion and decreased accuracy of models trained on multiple datasets [10], [18].
- **Data Scarcity and Diversity:** Although food image datasets have increased in recent years, many still lack diversity in food types, especially considering the global cuisines. This limitation leads to less accurate recognition of food items that do not frequently occur within big, publicly available datasets [4], [7].

These data-related bottlenecks significantly affect the development and deployment of image-based dietary tools. Improving the quality of data collection and annotation processes is essential to enhance

model performance and reliability.

6.3 Cultural and Dietary Diversity in Image Datasets

This, in turn, creates a big challenge in creating food image datasets and a significant barrier to the generalizability of image-based dietary assessment methods.

- Food Diversity: A major limitation of the existing image datasets is the underrepresentation of foods from diverse cultures and regional diets. Most datasets are heavily biased toward Western food items, which severely degrades performance when identifying or analyzing foods from other cultures [10], [13]. This lack of dietary diversity is problematic when the tools are deployed in global or multicultural settings.
- Cultural Differences in Portion Sizes: Portion sizes and the way meals are presented can vary greatly across cultures, and this can impact how portion size is estimated. Image-based methods that do not account for these cultural differences may fail to provide accurate dietary assessments for people from diverse backgrounds [5], [15].
- Local Adaptations: To improve the efficacy of image-based dietary tools in diverse settings, adaptations to local food classifications, portion sizes, and consumption patterns are needed. This requires incorporating local food knowledge, involving cultural experts in dataset development, and adapting algorithms to handle a broader range of dietary practices [13], [16].

Table 1. Literature Review

Reference/ Year	Title	Methodology	Findings	Research Gap
[1] / 2024	Development of a dental diet-tracking mobile app for improved caries-related dietary behaviors	Mobile application development; Pilot study	Enhanced nutrition tracking for oral health; High user satisfaction	Limited to dental dietary behaviors; applicability to general dietary assessment not tested
[2] / 2024	Integrated image and sensor-based food intake detection in free-living	Image and sensor data integration; Real-world trials	Reliable intake detection; Information on free-living conditions	Challenges in sensor integration for diverse populations
[3] / 2024	Photo-assisted dietary intake assessment among college students and elderly individuals	Photo-assisted dietary recording; Usability study	Validated tool for dietary assessment in specific demographics	Lack of research in other population groups or cultural contexts
[4] / 2024	Image-based dietary assessment: A healthy eating plate estimation system	AI-based estimation system; Algorithm verification	Accurate plate estimation using AI; Potential for real-time feedback	Limited focus on specific dietary systems; generalizability not addressed
[5] / 2024	DeepTrayMeal: Automatic dietary assessment for Chinese tray meals	Deep learning on meal-specific datasets	Enhanced accuracy for tray-based meals; Dataset efficiency	Applicability beyond tray meals; limited cultural diversity in datasets
[6] / 2023	Count every bite to make ‘every bite count’	Systematic review of diet measurement gaps for children	Identified gaps in diet observation from birth to 24 months	Lack of focus on image-based methods in pediatric populations

[7] / 2023	Self-Supervised Visual Representation Learning on Food Images	Self-supervised learning for food image classification	Better model performance with less labeled data	Scalability for diverse food image datasets; real-world implementation
[8] / 2023	Estimating food amounts in a circular bowl from a single image	Single-image deep learning-based estimation	Accurate serving size estimation for particular serving categories	Limited focus on specific container types; broader applications not explored
[9] / 2023	Serving size estimates using digital food photographs among Japanese adults	Digital photo analysis with cultural focus	Accurate serving size estimation for Japanese foods	Lack of generalisability to non-Japanese populations
[10] / 2022	Towards the Creation of a Nutrition and Food Group-Based Image Database	Creation of a curated food image database	Better dataset for nutrition studies	Partial dataset representation for global food diversity
[11] / 2022	Food volume estimation by integrating 3D image projection and manual mesh transformations	Combined 3D imaging with manual intervention	Accurate volume estimation in controlled environments	Limited usability in real-world, free-living scenarios
[12] / 2021	Overview of dietary assessment methods for research	Comprehensive review of dietary assessment tools	Comparative insights into traditional and modern tools	Lack of attention to emerging image-based technologies:
[13] / 2020	DeepFood: Food image analysis and dietary assessment via deep models	Deep learning in food recognition	High accuracy in image-based dietary monitoring	Small dataset size; not tested on other cuisines
[14] / 2020	Image-based food classification and volume estimation: A review	Review of image-based classification and volume estimation approaches	Identified trends in classification and volume estimation	Gaps in integrating classification with real-time applications
[15] / 2020	Validity of image-based dietary assessment methods	Systematic review and meta-analysis	Validated different image-based approaches	Limited generalizability in diverse cultural contexts
[16] / 2020	Image-Based Food Classification and Volume Estimation for Dietary Assessment : A Review	Conceptual review of image-based dietary tools	Overview of technical developments	Lack of practical case studies in real-world settings
[17] / 2019	Context-Based Image Analysis with Applications in Dietary Assessment and Evaluation	Contextual image analysis for food log	Shown promise in contextual analysis for dietary evaluation	Limited focus on integrating contextual data with standard food analysis
[18] / 2017	Model-Based Food Volume Estimation Using 3D Pose	3D pose-based volume estimation model	Accurate 3D Volume Estimation	Computational complexity; real-world deployment challenges
[19] / 2013	Accuracy of food	Wearable camera	Reliable data	Privacy concerns;

	portion size estimation using a chest-worn camera	technology for portion size estimation	collection under free-living conditions	limited user adoption
[20] / 2012	Automatic portion estimation and visual refinement in mobile dietary assessment	Automated portion size estimation with refinement features	Improved segment precision with low user input	Real-time functionality not emphasized

7. Conclusion

This Image-based dietary assessment methods are revolutionizing nutrition monitoring and health management, driven by advancements in visual representations and machine learning. These tools enable the accurate recognition of foods and estimation of portion sizes, supporting large-scale dietary monitoring and personalized nutrition interventions [13], [5]. Validation studies prove their reliability, although challenges remain, including privacy concerns, cultural diversity in datasets, and user compliance [12], [6].

The implications for public health, therefore, are huge. Image-based tools can strengthen dietary surveillance for population health initiatives, fill dietary gaps in vulnerable groups, and promote personalized dietary prescriptions for the management of chronic diseases such as diabetes [9], [14]. Mobile-based solutions democratize access, especially in low-resource settings, and promote health equity [5], [9]. Policymakers should encourage the development of culturally appropriate, localized food datasets that make the technology usable globally [10], [13].

By and large, technologies have the potential to revolutionize public health strategies by providing novel, equitable, and personalized approaches to improving nutrition and health outcomes.

References

[1]. C. E. Goh et al., “Development of a dental diet-tracking mobile app for improved caries-related dietary behaviours: Key features and pilot evaluation of quality,” Digit. Health, vol. 10, p. 20552076241228433, 2024.

[2]. T. Ghosh et al., “Integrated image and sensor-based food intake detection in free-living,” Sci. Rep., vol. 14, no. 1, p. 1665, 2024.

[3]. R. Fan et al., “The validity and feasibility of utilizing the photo-assisted dietary intake assessment among college students and elderly individuals in China,” Nutrients, vol. 16, no. 2, 2024.

[4]. A. Izbassar and P. Shamoï, “Image-based dietary assessment: A healthy eating plate estimation system,” in 2024 IEEE 4th International Conference on Smart Information Systems and Technologies (SIST), 2024, pp. 618–624.

[5]. DeepTrayMeal: Automatic Dietary Assessment 1 for Chinese Tray 2 Meals Based on Deep Learning. .

[6]. M. Zimmer et al., “Count every bite to make ‘every bite count’: Measurement gaps and future directions for assessing diet from birth to 24 months,” J. Acad. Nutr. Diet., vol. 123, no. 9, pp. 1269-1279.e1, 2023.

[7]. Self-Supervised Visual Representation Learning on Food Images Andrew Peng, Jiangpeng He. (n.d.).

[8]. Jia, W., Li, B., Zheng, Y., Mao, Z.-H., & Sun, M. (2023). Estimating amount of food in a circular dining bowl from a single image. Proceedings of the 8th International Workshop on Multimedia Assisted Dietary Management.

- [9]. Gawash, A., Zia, H., & Lo, D. F. (2023). Serving size estimates using digital food photographs among Japanese adults: a critical analysis. *Journal of Nutritional Science*, 12, e21. <https://doi.org/10.1017/jns.2023.14>
- [10]. S. P. Smith, M. T. P. Adam, G. Manning, T. Burrows, C. Collins, and M. E. Rollo, "Food volume estimation by integrating 3D image projection and manual wire mesh transformations," *IEEE Access*, vol. 10, pp. 48367–48378, 2022.
- [11]. R. L. Bailey, "Overview of dietary assessment methods for measuring intakes of foods, beverages, and dietary supplements in research studies," *Curr. Opin. Biotechnol.*, vol. 70, pp. 91–96, 2021.
- [12]. D. K. N. Ho et al., "Validity of image-based dietary assessment methods: A systematic review and meta-analysis," *Clin. Nutr.*, vol. 39, no. 10, pp. 2945–2959, 2020.
- [13]. Ieee, Y., Sun, S., Ieee, J., Qiu, S., Member, I., Lo, B., & Member, S. (n.d.). Image-Based Food Classification and Volume Estimation for Dietary Assessment: A Review Frank Po Wen Lo , Student Member. IEEE.
- [14]. Context Based Image Analysis With Application in Dietary Assessment and Evaluation Yu Wang, Purdue University, West Lafayette, Indiana, USA Ye He, Google Inc, Mountain View. (n.d.).
- [15]. Ye He¹, Nitin Khanna², Carol J. Boushey³, and Edward J. Delp¹ ¹School of Electrical and Computer Engineering. (n.d.). In MODEL-BASED FOOD VOLUME ESTIMATION USING 3D POSE Chang Xu¹.
- [16]. Accuracy of food portion size estimation from digital pictures acquired by a chest-worn camera Wenyan Jia ¹ , Hsin-Chen Chen ¹ , Yaofeng Yue ². (n.d.).
- [17]. Otsmoa, K., Kima, S., Eberta, D. S., & Delpa, E. J. (Eds.). (n.d.). Automatic portion estimation and visual refinement in mobile dietary assessment InsooWooa.
- [18]. Dalal, S., Lilhore, U. K., Radulescu, M., Simaiya, S., Jaglan, V., & Sharma, A. (2024). A hybrid LBP-CNN with YOLO-v5-based fire and smoke detection model in various environmental conditions for environmental sustainability in smart city. *Environmental Science and Pollution Research*, 1-18.
- [19]. Lilhore, U. K., Dalal, S., Faujdar, N., Simaiya, S., Dahiya, M., Tomar, S., & Hashmi, A. (2024). Unveiling the prevalence and risk factors of early stage postpartum depression: a hybrid deep learning approach. *Multimedia Tools and Applications*, 1-35.
- [20]. Lilhore, U. K., Dalal, S., & Simaiya, S. (2024). A cognitive security framework for detecting intrusions in IoT and 5G utilizing deep learning. *Computers & Security*, 136, 103560.
- [21]. Bishnoi, A., Bharadwaj, S., & Dalal, S. (2023, November). Disease Detection in Crop's using Transfer Learning: An analysis on Detection through Computer. In *2023 International Conference on Communication, Security and Artificial Intelligence (ICCSAI)* (pp. 475-480). IEEE.
- [22]. Singh, C. B., Gupta, N., & Dalal, S. (2024, February). Bug Predicting Survey Using Advanced Machine Learning Algorithms. In *2024 IEEE International Conference on Computing, Power and Communication Technologies (IC2PCT)* (Vol. 5, pp. 1567-1570). IEEE.
- [23]. Dalal, S., Seth, B., & Radulescu, M. (2023). Driving Technologies of Industry 5.0 in the Medical Field. In *Digitalization, Sustainable Development, and Industry 5.0: An Organizational Model for Twin Transitions* (pp. 267-292). Emerald Publishing Limited.
- [24]. Dalal, S., Lilhore, U.K., Foujdar, N. et al. Next-generation cyber attack prediction for IoT systems: leveraging multi-class SVM and optimized CHAID decision tree. *J Cloud Comp* 12, 137 (2023). <https://doi.org/10.1186/s13677-023-00517-4>
- [25]. Dalal, S., Lilhore, U. K., Simaiya, S., Sharma, A., Jaglan, V., Kumar, M., ... & Rana, A. K. (2023). Original Research Article A Blockchain-based secure Internet of Medical Things framework for smart healthcare. *Journal of Autonomous Intelligence*, 6(3).

- [26]. Lilhore, U.K., Simaiya, S., Dalal, S. et al. A smart waste classification model using hybrid CNN-LSTM with transfer learning for sustainable environment. *Multimed Tools Appl* (2023). <https://doi.org/10.1007/s11042-023-16677-z>
- [27]. P. Chotwanvirat, A. Prachansuwan, P. Sridonpai, and W. Kriengsinyos, “Automated artificial intelligence-based Thai food dietary assessment system: Development and validation,” *Curr. Dev. Nutr.*, vol. 8, no. 5, p. 102154, 2024.
- [28]. Tarunim Sharma, Shalini Bhaskar Bajaj, Aman Jatain, Kavita Pabreja, “Optimizing Software Defect Detection using advanced Feature Selection, Ensemble Learning and Class Imbalance Solutions”, *Library Progress International* (2024) Volume 44, No. 3, pp. 3286-3306, Jul-Dec 2024, ISSN: 09701052, Available Online at: www.bpasjournals.com
- [29]. Naresh Kumar Dahiya, Shalini Bhaskar Bajaj, A P Ruhil, Vivek Jaglan, “Udderly accurate: A deep learning based modelling for determination of dairyness of Sahiwal cow using computer vision”, *Indian Journal of Animal Sciences*, 94 (1): 83–87, January 2024
- [30]. Tarunim Sharma, Aman Jatain, Shalini Bhaskar Bajaj, Kavita Pabreja, “An empirical analysis of feature selection techniques for Software Defect Prediction”, *Journal of Autonomous Intelligence* (2024) Volume 7 Issue 3, pp. 1-17
- [31]. Bhavna Galhotra, Aman Jatain, Shalini Bhaskar Bajaj, Vivek Jaglan, “E WALLET: PAYMENT MECHANISM AND ITS SECURITY MODEL”, *Eur. Chem. Bull.* 2023, 12(Special Issue 10), pp.3505 –3510
- [32]. Bhavna Galhotra, Aman Jatain, Shalini Bhaskar Bajaj, Vivek Jaglan, “GEN Z’S DIGITAL PAYMENTS: DISRUPTIVE OR USEFUL FOR ONLINE SHOPPING IN SECURITY ASPECT”, *China Petroleum Processing and Petrochemical Technology*, Volume 23, Issue 2, September 2023, pp. 563-574
- [33]. T Sharma, A Jatain, S Bhaskar, K Pabreja, “Ensemble Machine Learning Paradigms in Software Defect Prediction”, *Procedia Computer Science*, 2023, 218, 199-209
- [34]. Nishu Sethi, Shalini Bhaskar Bajaj, “Neural Network Based image detection and tracking for security and surveillance”, *Journal of Discrete Mathematical Sciences and Cryptography*, April 2023, 26(3), pp. 939-949
- [35]. D. Pradeep, M. Thakran, S. B. Bajaj, B. Kumar, K. Sobha, “An Assessment of the Piezoelectric Coefficient and the Therapeutic Potential of Ionic Liquid (IL) Dissolved hard keratin from Goat Horn Discards”, *Rasayan J. Chem*, Oct-Dec, 2022
- [36]. Ashima Narang, Shalini Bhaskar Bajaj and Vivek Jaglan, “Robotic Arm: Automated Real-Time Object Detection”, *International Journal of Social Ecology and Sustainable Development (IJSESD)*, pp. 1-13, Vol. 13, No. 1, 2022, IGI Global, DOI: 10.4018/IJSESD.295967
- [37]. Mukta Aggarwal, Shalini Bhaskar Bajaj, Vivek Jaglan, “An improved vogel’s Approximation Method (IVAM) for Fragmentation, Allocation and Replication in Distributed Database Systems”, *Indian Journal of Computer Science and Engineering (IJCSE)*, Vol. 13, No. 3, May-Jun, 2022, e-ISSN: 0976-5166; p-ISSN: 2231-3850; doi: 10.21817/indjcse/2022/v12i3/221303165
- [38]. Aman Jatain, Shalini Bhaskar Bajaj, Ritika Agarwal, Haziq Rahat Bullah, Classification based Levodopamine Response Prediction in Parkinson’s Disorder, *Applied Artificial Intelligence*, August, 2021, 2347-5552, Taylor & Francis, pp.1-17
- [39]. Nishu Sethi, Shalini Bhaskar Bajaj, Vivek Jaglan, "Stock Market Prediction-Trends", *International Journal of Advanced Science and Technology*, Vol. 29 No. 12s (2020) ISSN: 2005-4238 IJAST, 746-752, DOI: <http://sersc.org/journals/index.php/IJAST/article/view/22536>