


AMITY UNIVERSITY RAJASTHAN

Climate Action Plan

Amity University Rajasthan has always been an environmentally conscious and socially responsible campus which makes it truly sustainable. Surrounded by hills, this tree-lined campus is like an “Oasis” that includes beautiful landscape; a rainwater harvesting lake with running fountains and floating aquatic **birds**; a Neem forest with nature trail & chirping sounds of birds that enables the project to protect the natural habitat and species. Amity University Rajasthan is LEED registered **project for achieving GOLD** rating **from** United States Green Building Council. Leadership in Energy & Environmental Design (LEED) is an **internationally** recognized Green Building rating awarded to projects for their remarkable efforts **in achieving sustainability** and low impact on environment.



Electricity Management

AUR has 24*7 electric supply through JWNL and through its own captive power back up from DG sets. With a view towards an energy conscious campus, AUR has installed solar panels on terraces of various buildings and has a ground tracker solar panel system.

The total sanctioned load for AUR from JWNL is 3200 KW. AUR has taken approval presently to utilize 2490 KW out of sanctioned 3200 KW. AUR has two substations and has captive power generation capability to the tune of 4700 KVA through 9 DG sets installed near sub stations. The Solar Plant can generate a total of 0.99 MW or approx. 40% of AUR's total requirement. Peak load, during summers, with all three chillers of air conditioning system running is in the region of 2400 KW. The minimum load is approx. 700 KW (with no chillers/ less geysers operating). This is in the months of Nov and in Feb. The electricity bill varies between a maximum of Rs 58 lakhs and minimum Rs 25 lakhs.

The residents are provided subsidized electricity. The vendors are charged at a rate calculated by giving due weightage to the units consumed on JWNL and DG supply. Fitment of solar panels has resulted in savings of Rs. 6 lakhs (approx..) per month presently. AUR has also got net metering connection with JVVNL, any excess generation of electricity through the solar panels is channeled to JVVNL grid, thus further saving on electrical cost.

A dedicated team of electrical engineer and DG operators ensure effective running of the DG sets. Planned Maintenance is carried out at regular intervals as defined for the DG sets. DG sets are being synchronized to ensure max load (80% of DG rated capacity) on a particular DG set is achieved before other DG set is brought in line. This ensures reduction in fuel consumption due avoidance of unnecessary

Running of second DG set. Record of DG sets running and servicing is maintained. Proper rating cables are used to ensure that no cable is overloaded. This is to ensure line losses are minimum. Timely servicing of electrical panels and transformers is carried out.

Maintaining a higher Power Factor ensures stable current and reduction in its consumption. AUR is presently achieving a power factor of 0.98. Rebate is given by JVVNL for achieving a higher PF and AUR has received a max of Rs 1.75 Lakhs in a month last year. The average rebate given by JVVNL last year was approx. Rs one lakh per month.

MIS Daily and monthly MIS reports are compiled in soft copies. The same are scrutinized and provide a check to improve the system efficiency.

Chiller Plants

Air Conditioning system is on AMC to ensure efficient operation and regular maintenance. To increase the efficiency of the chiller plants daily inspection and periodic maintenance as required is carried out.

Preventive maintenance (descaling etc) is carried out during the lean period. This ensures that electricity consumption does not increase significantly with ageing of the chillers.

Chiller plants are used only on as required basis. Timing of usage is between 9 am to 5 pm from 01 Apr to 31 Oct.

Records of Chiller plant operation and Power consumption are maintained and monitored to ensure

that load current does not increase.

Change over to LED in Phases

AUR had approx 10,000 no. of 36 watt fluorescent tube lights fitted in Academic Blocks, Hostels and Residential Blocks. The 3100 tube lights fitted in Academic Blocks are proposed to be replaced by 18 watt LED tubes in the initial phase.

The testing of LED tubes and their compatibility with the existing frames has been checked. **Similarly, there are 85 security lights of 400 watts each which has been replaced with 100/200 watts LED lamps in 2021.**

The Tublights, chokes & starters removed from Academic Blocks will be utilized in the hostel / residential blocks. Subsequently fluorescent tubelights of Residential Blocks will be replaced, with those in hostel being replaced in the last phase.

AUR has already replaced 1740 nos. of old fittings (inclusive of all types like security, panel and normal tube lights) with new LED in a period 18 months i.e. from Mar'2019 to Oct'2021 Saving approx. 680 units daily.

Electricity Generation Through Solar Power

AUR has already sanction of 3200 KW from JWNL and is generating 990 KW from Solar, it is estimated that there will be no requirement of additional power to be sanctioned from JWNL for the next five years, there is also a plan to extend the ground tracking system to generate additional solar power

Roof top Solar panels are installed on terraces of various buildings and a ground tracker system is also installed.

Sr. No.	Area	No. of Panels	Capacity in KW
1	Academic Block-A	350	128
2	Academic Block-B, C & D	581	180
3	Academic Block-E	240	75.8
4	Student Resource Center (SRC)	360	115.20
5	Ground Tracker	1540	500



General Measures -The measures adopted to ensure optimal utilization of electricity are as follows

Unserviceable Pumps motor winding is done only twice after which the pump is made redundant. This is because further rewinding will increase the load current of the pump.

General Awareness is spread amongst all stakeholders to lower consumption of electricity and take proper precautions. Proper consumption at residences/vendor outlets is monitored through fitment of electronic meters.

Residents / Students are made aware of the need to s/w off electrical appliances like tubelight / fans before leaving their rooms. They are also advised to stop keeping appliances like TV, Air Conditioner etc in stand by mode.

Wardens in Hostels ensure that geysers are switched off when not in use. Hostel staff ensures only optimum lighting is used in the common areas of halls, lounges and staircase.

Attendants in various Academic Blocks ensure that lights/fans are switched off in lecture theatres and classrooms when classes are not being held. Duty attendants also ensure that only necessary lighting is switched on after 6 pm.

The Way Ahead

As the university expands there will be an increase in the level of power consumption. The emphasis will thus be on optimum utilization of this resource and thus concentration will be towards LED fitment and use of Solar Power. At the same time it has to be seen that existing fitments are utilized completely. Hence changeover to LED, which will be the first step, will be done in a phased manner over the next 5 years.

WATER MANAGEMENT

Water is supplied in AUR through bore wells. The present requirement of water may increase in the near future. Conservation of this resource will acquire primacy with the increase in infrastructure and personnel.

Water Calculation

AUR has five Academic Blocks, one Student Resource Centre, Five Hostel Blocks, Six faculty Blocks, One Staff Quarters Block.

There would be approximately 240 families' i.e. around 720 persons plus 2500 students residing in the campus. In the daytime during working hours there would be additional students, plus other faculty staff and workers, possibly an additional strength of 2000 personnel. There is a mess and also other vendors who would require water for their ventures.

The standard consumption of water for a family is taken as 135 litres per person per day. Students do not cook; however cooking is done for them in the mess and other places. Thus for all purposes we can assume 135 litres for them. The day scholars and faculty/staff commuting from Jaipur can be safely assumed to consume at least 40 Its per day.

The total Lts Per Day (LPD) is thus calculated as follows:

- Faculty/Staff residing inside the campus: $135 \times 3220 = 4,34,700$ LPD
- Guards and Other Staff routine duties after working hrs: $50 \times 80 = 4000$ LPD
- Day Scholars, Faculty & Staff = $2000 \times 40 = 80000$ LPD
- Chiller Plants Requirement : 60,000 LPD (Minimum)
- Laundry Requirement (Commercial purposes uses more water than household purposes) 3000 LPD

Total 5, 81,700 LPD without Horticulture requirement. Horticulture requirement is met through STP and rain harvested water. Chiller plant water requirement is only during plant operation.

Water is supplied to various buildings through a network of underground sumps and overhead tanks. Water from the bore well is pumped to the underground tanks, from the underground tanks it is pumped to the overhead tanks. There are a total of 34 overhead tanks (both RCC and Sintex) and 08 underground tanks. Plumbers work in shifts to ensure adequate supply to each building.

Aqua guard are fitted along with the water coolers for hostels and in the faculty/staff residences. The aqua guards are on AMC and regular servicing is carried out.

Conserving Water and Preventing Wastage

Water conservation is very important at AUR. The aim is to reduce wastage of water. To this end the following measures are being taken:

Rainwater harvesting Lake




The artificial lake gets treated water from the Sewage Treatment Plant and also all the rain water from terraces of buildings, and other rain water drains comes to this lake. This water is used for horticulture, thus ensuring literally zero wastage of water. Source of fresh water is through Borewells. Water is stored in underground and overhead tanks. Aqua guard are installed in water dispensers. Wastewater is channeled to STP plant and after treatment is utilized for flushing, horticulture and in chiller plants.



Ground Mapping

Ground mapping of AUR periphery has been done by 2 D image resistivity method. Cracks fixtures which could store water have been found. The intent is to recharge these zones so that the water resource is within the campus. Ground water recharging had been done at various places. The ground water recharging is planned to be extended to borewell recharging. Two borewells have been identified for the pilot project. As AUR is in a semi bowl shape, water during rains also flows into the campus from the front and rear gates. The aim is to channelize this water to the nearest borewell for recharging through proper filtration.

Harvesting pits are available in different locations of the campus. A borewell recharge pit has also been made to divert rainwater from low lying areas, terraces of buildings and other structures to the borewell.



Rainwater Harvesting

Water Level Indicators A panel having three indicators denoting the water level is being established at ground level for ease of information to the plumbers for switching pumps On/Off, thus avoiding spillage and waste of water.

Automated water filling system A Solenoid valve, pressure switch, float switch arrangement is being planned for implementation for automatic water filling system at one of the hostels on trial basis. This system if implemented at all locations will promote zero wastage of water therefore conserving water.

Use of STP water in flush system hostels Hostel Blocks are connected with a separate flush line for using the STP water.

Cooling Tower of Chiller Plant The cooling tower of chiller plants utilize STP water. Thus approx. 60,000-70,000 litres of water is being saved in this manner.

Way forward

AUR is now a fully residential campus. As the strength of students increases, the demand for water will also increase. While for around 08 months, with normal rainfall, AUR can be self-sufficient, during the summer months criticality could occur. It is imperative that methods to conserve water are increased and new explored.

Trees in Campus

Sr. No.	Hindi Name	Common Name	Botanical Name
1	छितवन	Alstonia	Blackboard Tree
2	अमलतास	Golden Shower Tree	Cassia Fistula
3	अलनुस	Alnus	Alnus Glutinosa
4	नीम	Margosa	Azadirachta Indica
5	आँवला	Indian Gooseberry	Phyllanthus Emblica
6	चम्पा	Champak	Magnolia Champaca
7	कदम	Burnflower-tree	Neolamarckia Cadamba
8	सागवान	Teak	Tectona Grandis
9	गुलमोहर	Delonix Regia	Royal Poinciana
10	अमलतास	Cassia fistula	Golden Shower Tree
11	कचनार	Mountain Ebony	Bauhinia variegata
12	शिरीष	Lebeck	Albizia Lebeck
13	जत्रोफा	Nettlespurges	Physic Nut
14	शीशम	Indian Rosewood	Dalbergia Sissoo
15	खेजड़ी	Ghaf	Prosopis Cineraria
16	सफेदे	White Tree	Eucalyptus
17	आम	Mango	Mangifera Indica
18	बिल्व	Stone Apple	Aegle Marmelos
19	हरसिंगार	Night Jasmine	Nyctanthes Arbor-tristis
20	रात की रानी	Night-Blooming Jessamine	Cestrum Nocturnum
21	मीठा नीम	Curry Tree	Murraya Koenigii
22	अशोक	Ashoka Tree	Saraca Asoca
23	नींबू	Lemon	Citrus Limon
24	बबूल	Gum Arabic Tree	Vachellia Nilotica
25	शहतूत	Mulberry	Morus Alba
26	खजूर	Date Palm	Phoenix Dactylifera
27	पीपल	Sacred Fig	Ficus Religiosa
28	हिना	Heena	Lawsonia Inermis
29	बाँस	Bamboo	Bambusoideae
30	क्रिसमस वृक्ष	Christmas Tree	Araucaria columnaris

Tree Plantation Drive

Regular tree plantation drives are organized by NSS and Unnat Bharat in the campus and nearby villages to keep the environment green and healthy.



LEED Certification

Amity University Rajasthan got Gold rating from Leadership in Energy & Environment Design (LEED), a United States Green Building Council in 2017 for efforts in achieving sustainability and low impact on environment.



WASTE MANAGEMENT

Amity University believes in “Green Campus and Healthy Living”. The University is very conscious of generating less waste and recycling it by passing it through a system that enables the used material to be reused ensuring that minimum natural resources are consumed. Environmental initiatives like use of Rainwater Harvesting, Sewage Treatment Plants, Zero Water Discharge, No Smoking Zones, Garbage Disposal System, amongst others, have been implemented. Environment consciousness is embodied in the heart of all departments of the University by tree plantations from NSS/NCC/Unnat Bharat teams periodically.

The waste management practices are divided into three parts:

- (a) Solid Waste Management
- (b) Liquid Waste Management
- (c) E-Waste Management

Solid Waste Management

Two garbage houses, one each in two different locations of the campus, are available for dry waste. The dry waste and plastic is disposed through a vendor who collects and takes it to the Municipal Dump yard.

Leaf litter is allowed to decompose systematically over a period in a compost pit, to be used as manure for the horticulture and lawns in the institute.

The Mess food waste per day from canteens is taken by a piggery’s vendor.

Sanitary Napkin Incinerators have been installed in the girls' hostels to facilitate disposal of sanitary napkins in an environment-friendly way.

The campus is a No Polyethene Zone. All vendors inside the campus have been instructed not to use polyethene material carry bags.

There is no biomedical waste as only a basic medical room for first aid is available on the campus. Injection needles are disposed by burning in a needle incinerator.

Liquid Waste Management

The liquid waste generated in the campus is from sewage of labs, residential and canteen facilities, hostels and laundry. The above waste is treated through a Sewage Treatment Plant (STP) and Effluent Treatment Plant (ETP) of 7.5 lakh LPD available in the campus.

Water after treatment, is sent to a treated water lake, from where it is used for horticulture through an auto irrigation system. Fountains in the lake ensure proper aeration and as the process of use is dynamic, stagnation does not occur negating bad odor.

Carp fish are there in the lake which prevent any algae growth by consuming the same, thus keeping the lake clean.

Treated water is also used for the cooling tower of chiller plants and for the flush system of four hostels.

The sludge settled in STP is removed and is dried on drying beds and used as manure for the gardens. Therefore, the entire wastewater generated in the campus is treated and reused.


Liquid Waste Management: Sewage Treatment Plant





Garbage Disposal Room

Garbage Segregation and Disposal



Compost Pit


Leaf litter of trees is allowed to decompose systematically in a compost pit, over a period, to be used as manure for the horticulture and lawns in the institute.



E-Waste Management

15. Electronic waste is disposed through M/s Namo E-Waste Management Limited, An ISO 14001:2015, ISO 45001:2018 & R2 Certified Co. The company Head Office is in Faridabad.

E-Waste Management Vendor Certificate







राष्ट्रीय सेवा योजना
National Service Scheme
 युवा कार्यक्रम और खेल मंत्रालय
Ministry of Youth Affairs and Sports
 भारत सरकार
Government of India



AMITY
UNIVERSITY
 JAIPUR

Others





Copyright © 2021 - Amity Jaipur. All Rights Reserved



**MEMORANDUM OF UNDERSTANDING
(MOU)**

Between

**Public Works Department
Government of Rajasthan**

&

**Amity University Jaipur,
Rajasthan**



MEMORANDUM OF UNDERSTANDING



This Memorandum of Understanding (MoU) for median maintenance in between Chainage 6.00 to 11.200(5.2km) on NH-11C Delhi Jaipur road made on this .15....day of .May...2019 at Jaipur "(hereinafter referred to as the Effective Date)"

BETWEEN

The President of India through ministry of Road Transport & Highways, Government of India represented by EE PWD NH DN.I JAIPUR on behalf of Office of the Chief Engineer (NH), PWD Govt. of Rajasthan Jaipur, hereinafter referred to as the Authority include its administrators, successor and assigns of one part.

AND


Amity University Jaipur Rajasthan having its registered campus at Amity University Jaipur NH-11C Delhi Jaipur road, Kant Kalwar, Jaipur-303002, Rajasthan hereinafter referred to as the Other party.

NOW THIS MOU WITNESSETH AS FOLLOWS:

Following are the terms and conditions of MoU between Authority & Other parties.

The work to be done by the other party at his own extenditure are as following:-

- 1. Upkeep & Maintenance of Median and Plants/Shurbs including-
 - (A) Regular cleaning of median.(4 to 7 Mtr width)



[Signature]

अभिशाषी अभियन्ता
सांनिवि, रांसा नगर
खण्ड प्रथम जयपुर

[Signature]

Gp. Capt. (Retd.) Ajay Mudhkar
Director Administration
AUR

ATTESTED

[Signature]
NOTARY JAIPUR
GOVERNMENT OF INDIA

क्र. 2197 दिनांक 13/11/19.

क्रेता का नाम..... श्रीमती निशु निधालप अन्परोल लह-शामर (मण्डल)

पिता/पति का नाम..... श्रीमती सुभाष कुमारी श्रीमती सुभाषी

निवासी..... बरकतपुर

कारण.....

नग. मूल्य..... 500/-

श्रीमती सुनी देवी स्वामी

ला. स्टाम्प विक्रेता

कुण्ड, तहसील आमर (जयपुर)

एच.जे.ए.


हमें श्री सुभाष कुमारी

कोलेज शाखी के 15630


(M) 8586852757


[Signature]

राजस्थान स्टाम्प अधिनियम, 1998 के अन्तर्गत स्टाम्प राशि पर प्रभाविता अधिभार	
1. आधारभूत अचल सम्पत्ति का मूल्य	500/-
(धारा 3-क) 10% अर्थात्	50/-
2. गाय और पशुओं का मूल्य	500/-
(धारा 3-ब) 10% अर्थात्	50/-
कुल योग 100/-	
हरनांतर स्टाम्प वेण्डर	



- (B) Proper Cutting of Plants & Shurbs, Once in three months to maintain a height of all plants and shrubs 3' (Three feet) strictly .
- (C) Regular watering of plants & shrubs to maintain all plants/shrubs in green condition.
- (D) To facilitate with new plants if required.(In Missing lengths)along with their regular Cutting, watering, Maintenance etc.
- 2. Cleaning of berms (in a width of 2 mtr in both side) includes removing debris if any.
- 3. Cleaning & removing deposited dust at both outer sides of Kerb stone.
- 4. Authority will allow other party to put two High Mast Signboards in the median at locations between Km 6.00 to 11.200, total 5.2 Km stretch as per IRC Norms.(Sample Enclosed)
- 5. Authority will also permit Other Party to put highway lights in a particular stretch within Km 6.00 to 11.200, total 5.2 Kms of the Median as per IRC Norms for which electricity bill shall be paid by the other party.
- 6. Authority will also permit Other Party to put railings along medians at Particular stretch within Km 6.00 to 11.200, total 5.2 Kms as per IRC Norms
- 7. Authority will also permit Other party for beautificationthe median horticulture in front of its main gatewithout disturbing orginal postion of median .
- 8. This MoU will be valid for aperiod of five years starting from 15 May 2019 to 14 May 2024.
- 9. Authority can terminate the MOU at any time for any reason.


 अतिरिधी अधिकारी
 अधिनियम, सार्वजनिक
 कार्य प्रभाग, जयपुर







 Director Administration
 AUR

ATTESTED


 NOTARY PUBLIC
 GOVT. OF INDIA


31 MAY 2019



Amity University Rajasthan ,Kant kalwar , NH-11C, Jaipur -Delhi National Highway ,Jaipur-303002	Public works department, Govt. of Rajasthan ,Jaipur
 Gp. Capt. (Retd.) Ajoy Mudaliar (signature) Administration AUR	 अजय भुपेश (signature) 15/5/2019 सारनिवाडी, राठवाडो मार्ग लक्ष्मण नगर जयपुर
Name-Gp.Capt.Ajoy Mudaliar	Name- Ajay Bhupesh
Director Administration Amity University ,Jaipur Rajasthan	Executive Engineer (NH),Div- Jaipur PWD Rajasthan
witness  VIKAS CHAUHAN DY. DIRECTOR	witness Krishna Kumar Sharma A.E. PWD (NH) Harmedo.  15/5/2019.
(signature)  ABHAYA GUPTA DY. DIRECTOR ADMINISTRATION AUR	(signature) Kene Ram Bera Senior D.A.U. PWD Nh Div-2 Jaipur.



ATTESTED


NOTARY JAIPUR
GOVERNMENT OF INDIA